

**■ DATASHEET:**  
**DISTRIBUTION BOARD**  
**FLUSH- AND HOLLOW WALL MOUNTED, WITH SHEET STEEL DOOR**




**■ SCHRACK INFO**

Consists of: Case, equipment rack, front cover, neutral and earth terminals with terminal support, installation instruction and labeling sheet, halogen poor.


**■ TECHNICAL DATA**

| MATERIAL           |   |
|--------------------|---|
| Cover:             | PSPolystyrene                           |
| Terminal support:  | PPOpolyphenyleneoxide                   |
| Door:              | Sheet steelphosphated and powder coated |
| Wall pan:          | PSPolystyrene                           |
| Protection:        | IP 30                                   |
| Protectionclass:   | II                                      |
| Ratedvoltage:      | 400 V AC / 50 Hz                        |
| Insulationvoltage: | 400 V AC                                |
| Support rail:      | Rail 35 x 7,5mm                         |
|                    | Steel plategalvanized                   |
|                    | Max. 6 kg per row                       |

**■ EXPLODED VIEW**




**DIMENSIONS**



| TYPE        | TE   | a   | b   |
|-------------|------|-----|-----|
| 1-ROW, 1/14 | 12+2 | 309 | 339 |
| 2-ROW, 2/28 | 24+4 | 434 | 464 |
| 3-ROW, 3/42 | 36+6 | 559 | 589 |
| 4-ROW, 4/56 | 48+8 | 684 | 714 |

| TYPE        | WALL NICHE |        |       | HOLLOW WALL CUTOUT |        |
|-------------|------------|--------|-------|--------------------|--------|
|             | WIDTH      | HEIGHT | DEPTH | WIDTH              | HEIGHT |
| 1-ROW, 1/14 | 345        | 325    | 90    | 325                | 315    |
| 2-ROW, 2/28 | 345        | 420    | 90    | 325                | 440    |
| 3-ROW, 3/42 | 345        | 575    | 90    | 325                | 565    |
| 4-ROW, 4/56 | 345        | 700    | 90    | 325                | 690    |

■ MOUNTING



| DESCRIPTION                                   | WxHxD (MM) | ORDER NO.  |
|---|------------|------------|
| 1-row, 12/14 TE, complete                     | 359x339x97 | BK070001   |
| 2-rows, 24/28 TE, complete                    | 359x464x97 | BK070002   |
| 3-rows, 36/42 TE, complete                    | 359x589x97 | BK070003   |
| 4-rows, 48/56 TE, complete                    | 359x714x97 | BK070004   |
| 1-row, 12/14 TE, completew. high frame        | 359x339x97 | BK070001-F |
| 2-rows, 24/28 TE, completew. high frame       | 359x464x97 | BK070002-F |
| 3-rows, 36/42 TE, complete w. high frame      | 359x589x97 | BK070003-F |
| 4-rows, 48/56 TE, complete w. high frame      | 359x714x97 | BK070004-F |
| 1-row, 12/14 TE, wall tubwithout door         | 315x309x90 | BK070001-A |
| 2-rows, 24/28 TE, wall tub without door       | 315x434x90 | BK070002-A |
| 3-rows, 36/42 TE, wall tub without door       | 315x559x90 | BK070003-A |
| 4-rows, 48/56 TE, wall tub without door       | 315x684x90 | BK070004-A |
| 1-row, 12/14 TE, door with insert             | 359x339x97 | BK070101   |
| 1-row, 12/14 TE, door with insert high frame  | 359x339x97 | BK070101-F |
| 2-rows, 24/28 TE, door with insert            | 359x464x97 | BK070102   |
| 2-rows, 24/28 TE, door with insert high frame | 359x464x97 | BK070102-F |
| 3-rows, 36/42 TE, door with insert            | 359x589x97 | BK070103   |
| 3-rows, 36/42 TE, door with insert high frame | 359x589x97 | BK070103-F |
| 4-rows, 48/56 TE, door with insert            | 359x714x97 | BK070104   |
| 4-rows, 48/56 TE, door with insert high frame | 359x714x97 | BK070104-F |

ACCESSORIES

|                                      |          |
|--------------------------------------|----------|
| Lock set – RONIC – cylinder – metal  | BK077004 |
| Twist lock, complete white – plastic | BK077005 |
| Partition plate – plastic            | BK077000 |